# 3 Interactive Demos

# Michael Klein, Andrej Itrich and Thomas Eppler

# Interactive Demonstration showing a Remote Lab using the Fischertechnik learning Factory 4.0

#### Abstract

A fully automated remote lab based on a fischertechnik learning factory to reproduce Industry 4.0 and Internet of Things processes. Participants can control and analyze the lab via the university cloud, independently of time and location.

#### Keywords

fischertechnik learning factory 4.0, MQTT, OPC/UA

#### 1 Introduction

The fischertechnik learning factory is a manufacturing plant that consists of fischertechnik elements and is used to simulate a digitalized factory. The simulation reproduces the ordering process, the production process, the delivery process, and the storage process in digitalized process steps.

The factory has several stations such as a vacuum gripper robot, an automated high-bay warehouse for storing nine colored workpieces, a multi-processing station with a simulated kiln and milling machine, a sorting line with color recognition, a delivery and pickup station, and a sensor unit station with an integrated swiveling camera for monitoring the factory.

The individual workpieces are tracked and described by NFC (Near Field Communication). This allows the tracking and visibility of the current status of the workpieces in the manufacturing process.

## 2 The fischertechnik learning factory 4.0

## 2.1 MQTT

The factory is controlled with a Siemens PLC control (industry standard). The entire communication within the factory takes place with MQTT. The messages use the JSON format.

MQTT communication makes it possible for you to write your own software to control the fischertechnik learning factory.

In addition to the web-based dashboard, provided by fischertechnik to control the learning factory, it is also possible to trigger the ordering process via Python scripts. With this tiny client, it is possible to display the current stock of the high-bay as well as the current camera image. The current status of a station can also be requested.

This data is sent to the university's MQTT broker using an MQTT cloner (Python script), which runs on the learning factory's Raspberry Pi, where the data is processed and distributed to different systems via Apache Nifi.

2.2 Apache Nifi

Apache Nifi is a data ingestion system with which data routes from a data source, in this case the fischertechnik factory, to a data sink, in this case various database management systems, can be built up graphically without having to be coded. The statuses of the stations and the camera images are stored in Hadoop's distributed file system HDFS. The sensor data is sent to AWS RedShift in the Amazon Cloud. The sensor data are graphically processed using a Python script. Figure 1 shows an extract of the Apache Nifi ETL structure.




Figure 1: Apache Nifi ETL extract

#### 2.3 OPC/UA

In addition, the Siemens PLC control of the fischertechnik Learning Factory has an OPC/UA data interface (Open Platform Communications — Unified Architecture), which is currently the standard for unrestricted platform-in-dependent industrial communication.

With the "OPC-Router" from inray, it is explained step-by-step with example projects how OPC communication between the learning factory and the OPC-Router is realized. Exercises show how the OPC/UA server connection to the learning factory is established with the OPC Router and how sensor-, production-, and order data from the different stations can be read.

Furthermore, the possibility of controlling the learning factory via the OPC Router is described. Ordering processes can be triggered via the OPC Router and the progress of production can be monitored with the integrated camera.

Figure 2 shows the OPC-Router project, which reads various status data from the factory every 10 seconds and stores them in several databases in the university cloud.

OPC Data Access	Typ: Insert			Triggermodus: zyklisch		
nbindung: SPS		DB-Anbindung: SQL-Server Tabelle: lemfabrik_bme680			Zyklus: 10seconds Startverzögerung: 0millisecond	
tems		Column	IS			
bp=3:PLC//3:Subscribe/3:EnvironmentSensor/3:di_gr;	- 776559 -	gr				
bp=3:PLC//3:Subscribe/3:EnvironmentSensor/3:i_aq;	1 ►	aq				
bp=3:PLC//3:Subscribe/3:EnvironmentSensor/3: iaq;	63 🗩	iag				
bp=3:PLC//3:Subscribe/3:EnvironmentSensor/3:ldt_ts;	- 16.02 >	ts				
bp=3:PLC//3:Subscribe/3:EnvironmentSensor/3:r_h;	44,6 🗩	h	Dater	ibank		
bp=3:PLC//3:Subscribe/3:EnvironmentSensor/3r p;	925,4 🗩	p	Typ: Inse	ert	_	
bp=3:PLC//3:Subscribe/3:EnvironmentSensor/3:r_h;	36,45 🗩	rh I	DB-Anbin	dung: SQL-Server		
bp=3:PLC//3:Subscribe/3:EnvironmentSensor/3:r it;	18,53 🗩	rt 1	Tabelle: I	ernfabrik_ldr		Datenbank
bp=3:PLC//3:Subscribe/3:EnvironmentSensor/3r t;	15,3 🗩	t (	Columns			Typ: Insert
bp=3:PLC//3:Subscribe/3:BrightnessSensor/3ii klr;	8429		ldr			DB-Anbindung: SQL-Server
bp=3:PLC//3:Subscribe/3:BrightnessSensor/3:ldt_ts;	16.02		ts			Tabelle: lernfabrik_hbw
bp=3:PLC//3:Subscribe/3:BrightnessSensor/3r br;	43,8		br			Columns
bp=3:PLC//3:Subscribe/3:Stock_HBW/3:ldt_ts;		1	6.02			ts
bp=3:PLC//3:Subscribe/3:Stock_HBW/3:StockItem/3:0,0/3:s_id;		(	043d5		->	a1 id
bp=3:PLC//3:Subscribe/3:Stock_HBW/3:StockItem/3:0,0/3:s_state;			RAW			a1_state
bp=3:PLC//3:Subscribe/3:Stock HBW/3:StockItem/3:0,0/3:s type;		1	WHITE -			<ul> <li>a1 type</li> </ul>
bp=3:PLC//3:Subscribe/3:Stock_HBW/3:StockItem/3:0,1/3:s_id;		0	4525		->	a2 id
bp=3:PLC//3:Subscribe/3:Stock_HBW/3:StockItem/3:0,1/3:s_state;			RAW -		->	a2_state
bp=3:PLC//3:Subscribe/3:Stock_HBW/3:StockItem/3:0,1/3:s_type;			BLUE -		->	a2_type
bp=3:PLC//3:Subscribe/3:Stock_HBW/3:StockItem/3:0,2/3:s_id;						a3_id
bp=3:PLC//3:Subscribe/3:Stock_HBW/3:StockItem/3:0,2/3:s_state;		_	RAW			a3 state
bp=3:PLC//3:Subscribe/3:Stock_HBW/3:StockItem/3:0,2/3:s_type;			WHITE -			a3_type
bp=3:PLC//3:Subscribe/3:Stock_HBW/3:StockItem/3:1,0/3:s_id;			04a05			• b1_id
bp=3:PLC//3:Subscribe/3:Stock_HBW/3:StockItem/3:1,0/3:s_state;		_	RAW -			b1_state
bp=3:PLC//3:Subscribe/3:Stock_HBW/3:StockItem/3:1,0/3:s_type;		_	RED -			b1_type
bp=3:PLC//3:Subscribe/3:Stock_HBW/3:StockItem/3:1,1/3:s_id;			145h5 -			b2 id
bp=3:PLC//3:Subscribe/3:Stock_HBW/3:StockItem/3:1,1/3:s_state;			RAW			b2_state
bp=3:PLC//3:Subscribe/3:Stock_HBW/3:StockItem/3:1,1/3:Stype;		_	RED -			b2_type
bp=3:PLC//3:Subscribe/3:Stock_HBW/3:StockItem/3:1,2/3:s_id;			145e5			b3 id
bp=3:PLC//3:Subscribe/3:Stock_HBW/3:StockItem/3:1,2/3:s_state;			RAW		-	b3_state
bp=3:PLC//3:Subscribe/3:Stock_HBW/3:StockItem/3:1,2/3:S_subscribe/3:Stock_HBW/3:StockItem/3:1,2/3:S_subscribe/3:Stock_HBW/3:StockItem/3:1,2/3:S_subscribe/3:Stock_HBW/3:StockItem/3:1,2/3:S_subscribe/3:Stock_HBW/3:StockItem/3:1,2/3:S_subscribe/3:Stock_HBW/3:StockItem/3:1,2/3:S_subscribe/3:Stock_HBW/3:StockItem/3:1,2/3:S_subscribe/3:StockItem/3:1,2/3:S_subscribe/3:StockItem/3:StockItem/3:StockItem/3:S_subscribe/3:StockItem/3:StockItem/3:StockItem/3:StockItem/3:StockItem/3:S_subscribe/3:StockItem/3:StockItem/3:StockItem/3:S_subscribe/3:StockItem/3:StockItem/3:StockItem/3:StockItem/3:StockItem/3:S_subscribe/3:StockItem/3:StockItem/3:StockItem/3:S_subscribe/3:StockItem/3:S			RED -		_	b3_type
bp=3:PLC//3:Subscribe/3:Stock_HBW/3:StockItem/3:2,0/3:s_id;			0 -		-	c1_id
bp=3:PLC//3:Subscribe/3:Stock_HBW/3:StockItem/3:2,0/3:s_tate;					_	c1_state
bp=3:PLC//3:Subscribe/3:Stock_HBW/3:StockItem/3:2,0/3:S_bubscribe/3:Stock_HBW/3:StockItem/3:2,0/3:S_bype;					_	c1_type
bp=3:PLC//3:Subscribe/3:Stock_HBW/3:StockItem/3:2,1/3:s_id;		0	46c57 -			c2_id
bp=3:PLC//3:Subscribe/3:Stock_HBW/3:StockItem/3:2,1/3:S_tate;			RAW -			c2_state
bp=3:PLC//3:Subscribe/3:Stock_HBW/3:StockItem/3:2,1/3:S_state; bp=3:PLC//3:Subscribe/3:Stock_HBW/3:StockItem/3:2,1/3:S_state;			WHITE			c2_type
bp=3:PLC//3:Subscribe/3:Stock_HBW/3:StockItem/3:2,1/3:S_ype, bp=3:PLC//3:Subscribe/3:Stock_HBW/3:StockItem/3:2,2/3:s_id;			04515			<pre>c2_type c3_id</pre>
bp=3:PLC//3:Subscribe/3:Stock_HBW/3:StockItem/3:2,2/3:_state;			RAW -		_	c3_state
bp=3:PLC//3:Subscribe/3:Stock_HBW/3:StockItem/3:2,2/3:S_state,		_	BLUE -			c3_type
bp=3:PLC//3:Subscribe/3:State_Order/3:ldt_ts;			DECE	16.02		co_qpe
bp=3:PLC//3:Subscribe/3:State_Order/3:s_state;				IN_PR		Datenbank
bp=3:PLC//3:Subscribe/3:State_Order/3:s_type;				BLUE		Typ: Insert
bp=3:PLC//3:Subscribe/3:State_Order/3:s_type; bp=3:PLC//3:Subscribe/3:State_DSI/3:t_code;				DLUC		DB-Anbindung: SQL-Server
bp=3:PLC//3:Subscribe/3:State_DSI/3:1_code; bp=3:PLC//3:Subscribe/3:State_DSI/3:dt_ts;						Tabelle: lernfabrik_statione
			1			Columns
bp=3:PLC//3:Subscribe/3:State_DSI/3:s_description; bp=3:PLC//3:Subscribe/3:State_DSI/3:s_station;		1	.6.02		-	code
					-	• ts
bp=3:PLC//3:Subscribe/3:State_DSI/3:s_target;			dsi		-	description
bp=3:PLC//3:Subscribe/3:State_DSI/3:x_active;					-	station
bp=3:PLC//3:Subscribe/3:State_DSO/3:j_code;			False		-	target
bp=3:PLC//3:Subscribe/3:State_DSO/3:ldt_ts;		-			-	active

Figure 2: OPC-Router project

#### 2.4 Communication structure

The communication structure of the system described above is visualized in the following figure:




Figure 3: Communication structure

# 2.5 Study materials and exercises

The ordering and storage process is described in detailed study materials. Exercises including solutions for the ordering and storage process, the data ingestion routes, and data evaluation and visualization deepen the understanding of communication with the learning factory.

The participants can access the system regardless of location and time and can carry out the exercises at any time. The fischertechnik system was converted into a fully automatic and autonomously operating system. However, tests still have to show if the components installed by fischertechnik are fail-safe, and predictive maintenance functions still need to be developed in order to be able to detect the failure of a subsystem at an early stage.

# References

fischertechnik, Alexander Steiger. (2021, September 26). MQTT-Interface https://github.com/fis chertechnik/txt\_training\_factory/blob/master/TxtSmartFactoryLib/doc/MqttInterface.md fischertechnik. (2021, September 27). Begleitheft Lernfabrik 4.0 Englisch. https://www.fischerte chnik.de/de-de/service/elearning/lehren/lernfabrik-4

# Authors



Michael Klein Hochschule Albstadt-Sigmaringen, IAF Poststr. 6 72458 Albstadt-Ebingen klein@hs-albsig.de



Andrej Itrich Hochschule Albstadt-Sigmaringen, IAF Poststr. 6 72458 Albstadt-Ebingen eichmann@hs-albsig.de



Thomas Eppler Hochschule Albstadt-Sigmaringen, IAF Poststr. 6 72458 Albstadt-Ebingen eppler@hs-albsig.de